



Virtual University

About Us

MTH501
Solved Final Term Paper 2

Waqar.siddhu@gmail.com

Year
2017

For More Plz Visit

WWW.VirtualAcademyLive.com

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

In the Name of Allāh, the Most Gracious, the Most Merciful

Paper Pattern

MCQS 40 each 1 mark
Short 4 each 2 marks
Short 4 each 3 marks
long 4 each 5 marks

Question No : 12 of 52

Marks: 1 (Budgeted Time 1 Min)

$\|u + v + w\| \leq \|u\| + \|v\| + \|w\|$ for all vectors u, v and w in an inner product space.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

True

☒

correct

False

☐

Made by: Waqar Siddhu

Question No : 13 of 52

Marks: 1 (Budgeted Time 1 Min)

The dominant eigenvalue for the matrix $A = \begin{bmatrix} 0 & 0 & 2 & 0 \\ 1 & 0 & 1 & 0 \\ 0 & 1 & -3 & 0 \\ 0 & 0 & 0 & 1 \end{bmatrix}$ is

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

$\lambda = 1$

☐

$\lambda = -3$

☒

correct

$\lambda = -1$

☐

$\lambda = 0$

☐

Made by: Waqar Siddhu

Question No : 14 of 52

Marks: 1 (Budgeted Time 1 Min)

A square matrix A is invertible if and only if $x = 0$ is not an eigen value of A.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

True

☒

correct

False

☐

Made by: Waqar Siddhu

Question No : 15 of 52

Marks: 1 (Budgeted Time 1 Min)

A square matrix with orthogonal columns _____ matrix. (Click on most appropriate)

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

is an orthogonal

☒

correct

may be an orthogonal

☐

may not be an orthogonal

☐

is not an orthogonal

☐

Made by: Waqar Siddhu

Question No : 16 of 52

Marks: 1 (Budgeted Time 1 Min)

If two rows are orthogonal, they are _____.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

linearly independent

☒

correct

linearly dependent

☐

Made by: Waqar Siddhu

Question No : 17 of 52

Marks: 1 (Budgeted Time 1 Min)

If x is orthogonal to both u and v , then x must be _____ to $u + v$.not sure

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ orthogonal☐ orthonormalcorrect☐ perpendicular☐ parallel

Made by: Waqar Siddhu

Question No : 18 of 52

Marks: 1 (Budgeted Time 1 Min)

The given system $\begin{matrix} 2x + 3y = 3 \\ 6x + 9y = 7 \end{matrix}$ has

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ Unique solution☐ Infinitely many solutions☐ No solutioncorrect☐ None of these

Made by: Waqar Siddhu

Question No : 19 of 52

Marks: 1 (Budgeted Time 1 Min)

Which statement about the matrix $\begin{bmatrix} 1 & 0 & 0 & 0 \\ 7 & 2 & 0 & 0 \\ 9 & 1 & 2 & 0 \\ 5 & 4 & 2 & -1 \end{bmatrix}$ is false?

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ Eigenvalue 2 has Algebraic multiplicity 1☐ Eigenvalue of the matrix are 1, 2 and -1.☐ Characteristic polynomial of the matrix is $(1 - \lambda)(2 - \lambda)^2(-1 - \lambda)$.☐ Eigenvalue -1 has multiplicity 1.

Made by: Waqar Siddhu

Question No : 20 of 52

Marks: 1 (Budgeted Time 1 Min)

If $A = \begin{pmatrix} a_{11} & a_{12} \\ a_{21} & a_{22} \end{pmatrix}$ is diagonalizable then A has 2 distinct eigenvalues.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

True

☐

False

☐

Made by: Waqar Siddhu

Question No : 21 of 52

Marks: 1 (Budgeted Time 1 Min)

A is diagonalizable if $A = PDP^{-1}$ Where

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

D is any matrix and P is an invertible matrix

☐

D is a diagonal matrix and P is any matrix

☐

D is a diagonal matrix and P is invertible matrix

☐correct

D is a invertible matrix and P is any matrix

☐

Made by: Waqar Siddhu

Question No : 22 of 52

Marks: 1 (Budgeted Time 1 Min)

Which statement is FALSE.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

If $Ax = \lambda x$ for some real number λ then λ is known as eigenvalue of the matrix A.☐

The eigenvalues of any matrix are on its main diagonal.

☐In order to find the eigenvalues we solve the equation $|A - \lambda I| = 0$ ☐

An eigenspaces of A is the Null space of some matrix

☐correct

Made by: Waqar Siddhu

Question No : 23 of 52

Marks: 1 (Budgeted Time 1 Min)

How many terms are there in the algebraic expression $8x^2 + \sqrt{9x} \times 25x^3$?

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ 4☐ 3☒ 2correct☐ 1

Made by: Waqar Siddhu

Question No : 24 of 52

Marks: 1 (Budgeted Time 1 Min)

If two matrices are added, then which of the following should be true for them?

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ Both must have same order.correct☐ Both must have different order.☐ Both must be rectangular.☐ Both must be square.

Made by: Waqar Siddhu

Question No : 25 of 52

Marks: 1 (Budgeted Time 1 Min)

If a matrix $A = \begin{bmatrix} 1 & 2 & 3 \\ 1 & 2 & 3 \\ 6 & 1 & 1 \end{bmatrix}$, then which of the following is true for A ?

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ It is a rectangular matrix.☐ It is a row matrix.☒ It is a singular matrix.correct☐ It is a scalar matrix.

Made by: Waqar Siddhu

Question No : 26 of 52

Marks: 1 (Budgeted Time 1 Min)

If \hat{v}_1, \hat{v}_2 and \hat{v}_3 are in R^m then which of the following is equivalent to $[\hat{v}_1 \ \hat{v}_2 \ \hat{v}_3] \begin{bmatrix} 2 \\ -7 \\ 5 \end{bmatrix}$?

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ $2\hat{v}_1 - 7\hat{v}_2 + 5\hat{v}_3$
correct
☐ $5\hat{v}_1 - 7\hat{v}_2 + 2\hat{v}_3$
☐ $5\hat{v}_1 + 2\hat{v}_2 - 7\hat{v}_3$
☐ $2\hat{v}_1 + 5\hat{v}_2 - 7\hat{v}_3$
Made by: Waqar Siddhu

Question No : 28 of 52

Marks: 1 (Budgeted Time 1 Min)

If $A = \begin{bmatrix} 1 & 2 & 3 \\ 0 & 0 & 1 \\ 0 & -1 & 1 \end{bmatrix}$, then which of the following is true for the matrix A ?

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ It is an invertible matrix.

☐ It is a singular matrix.

☐ It is a non-invertible matrix.
correct
☐ It is a rectangular matrix.
Made by: Waqar Siddhu

Question No : 1 of 52

Marks: 1 (Budgeted Time 1 Min)

Which statement about the General Least Square Method is true?

pg 494

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ Solution obtained by this method is always unique.

☐ This is a numerical method for the solution of System of Linear Equations.

☐ This method find an x that makes Ax as close as possible to the b .
correct
☐ This method gives us exact solution of the system.
Made by: Waqar Siddhu

Question No : 7 of 52

Marks: 1 (Budgeted Time 1 Min)

Suppose that $A = \begin{bmatrix} 1.25 & -.75 \\ -.75 & 1.25 \end{bmatrix}$ has eigenvalues 2 and 0.5 .Then origin is a

origin 'O' is called the saddle point because one eigenvalue is greater than 1 in magnitude and one is less than '1' in magnitude.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

Saddle point

☐**correct**

Repellor

☐

Attractor

☐**Made by: Waqar Siddhu**

Question No : 8 of 52

Marks: 1 (Budgeted Time 1 Min)

Suppose that $A = \begin{bmatrix} 0.5 & 0.6 \\ -0.3 & 1.4 \end{bmatrix}$ has eigenvalues 0.8 and 1.1 .Then origin is a

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

Saddle point

☐**correct**

Repellor

☐

Attractor

☐**Made by: Waqar Siddhu**

Question No : 10 of 52

Marks: 1 (Budgeted Time 1 Min)

The matrix equation $A^T A \hat{x} = A^T b$ represents a system of linear equations commonly referred to as the

pg 494

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

normal equations for x ☐normal equations for \hat{x} ☐**correct**normal equations for A ☐normal equations for b ☐**Made by: Waqar Siddhu**

By the Best Approximation Theorem, the distance from y to W is $\|y - \hat{y}\|$, where $\hat{y} =$

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ $\text{proj}_W \hat{y}$

☐ $\text{proj}_W y$

correct

☐ $\text{proj}_y W$

Made by: Waqar Siddhu