



Virtual University

About Us

CS501
Solved Final Terms Papers 2

Waqar.siddhu@gmail.com

Year
2017

For More Plz Visit

WWW.VirtualAcademyLive.com

بِسْمِ اللَّهِ الرَّحْمَنِ الرَّحِيمِ

In the Name of Allāh, the Most Gracious, the Most Merciful

Paper Pattern

MCQS 40 each 1 mark
Short 4 each 2 marks
Short 4 each 3 marks
long 4 each 5 marks

Question No : 1 of 52

Marks: 1 (Budgeted Time 1 Min)

Which one of the following is the memory organization of **EAGLE processor**?

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐

$2^8 * 8$ bits

☐

$2^{16} * 8$ bits

page 120

☐

$2^{32} * 8$ bits

☐

$2^{64} * 8$ bits

Made by: Waqar Siddhu

Question No : 2 of 52

Marks: 1 (Budgeted Time 1 Min)

-----is a collection of binary digits or bits that the computer reads and interprets.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐

assembly language

☐

higher level language

☐

English language

☐

machine language

page 12

Made by: Waqar Siddhu

Question No : 3 of 52

Marks: 1 (Budgeted Time 1 Min)

In which one of the following addressing modes, the value to be stored in memory is obtained by directly retrieving it from another memory location?

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐

Direct Addressing Mode

☐

Immediate addressing mode

☐

Indirect Addressing Mode

☐

Register (Direct) Addressing Mode

Made by: Waqar Siddhu

Question No : 4 of 52

Marks: 1 (Budgeted Time 1 Min)

The external interface of FALCON-A consists of a _____ address bus and a _____ data bus.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐

8-bit , 8-bit

☐

16-bit , 16-bit

176

☐

16-bit , 24-bit

☐

16-bit , 32-bit

Made by: Waqar Siddhu

Question No : 5 of 52

Marks: 1 (Budgeted Time 1 Min)

Execution time of a program with respect to the processor is calculated as:

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐

Execution Time = IC x CPI x MIPS

☐

Execution Time = IC x CPI x T

ans

☐

Execution Time = CPI x T x MFLOPS

☐

Execution Time = IC x T

Made by: Waqar Siddhu

Question No : 6 of 52

Marks: 1 (Budgeted Time 1 Min)

In which of the following instructions the data move between a register in the processor and a memory location (or another register) and are also called data movement?

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐

Arithmetic

☐

Load/store

ans

☐

Control

☐

Logic

Made by: Waqar Siddhu

Question No : 7 of 52

Marks: 1 (Budgeted Time 1 Min)

The _____ instruction is completed once memory access has been made and the memory location has been written to.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☒

Store

p 208

☐

Branch

☐

Load

☐

Control

Made by: Waqar Siddhu

Question No : 8 of 52

Marks: 1 (Budgeted Time 1 Min)

Which type of instructions enables mathematical computations?

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐

Arithmetic

page 92

☐

Control

☐

Data transfer

☐

Miscellaneous

Made by: Waqar Siddhu

Question No : 9 of 52

Marks: 1 (Budgeted Time 1 Min)

_____ control signal allows the bus to read from the selected register.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ RBE☐ RCE☐ LCON☐ R2BUS

page 193

Made by: Waqar Siddhu

Question No : 10 of 52

Marks: 1 (Budgeted Time 1 Min)

For any of the instructions that are a part of the instruction set of the SRC, there are certain _____ required; which may be used to select the appropriate function for the ALU to be performed, to select the appropriate registers, or the appropriate memory location.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ Registers☐ Control signals

p 171 ans

☐ Memory☐ DMA controllers

Made by: Waqar Siddhu

Question No : 11 of 52

Marks: 1 (Budgeted Time 1 Min)

Every I/O port has a unique identifier associated with it, which is called its -----

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ Address

ans

☐ Access point☐ Interval Identifier☐ Device driver

Made by: Waqar Siddhu

Question No : 12 of 52

Marks: 1 (Budgeted Time 1 Min)

_____ is a technique in which some of the CPU's address lines forming an input to the address decoder are ignored.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ Partial decoding

ans

☐ Full encoding

☐ Partial multiplexing

☐ Half encoding

Made by: Waqar Siddhu

Question No : 13 of 52

Marks: 1 (Budgeted Time 1 Min)

Partial decoding is an attractive choice in _____.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ Small systems

ans

☐ Large systems

☐ Medium systems

☐ All of the above

Made by: Waqar Siddhu

Question No : 14 of 52

Marks: 1 (Budgeted Time 1 Min)

Consider Falcon A, with 16 address lines, the total address space is _____ Kbytes.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ 2^{16}

ans

☐ 2^{10}

☐ 2^6

☐ 2^8

Made by: Waqar Siddhu

Question No : 15 of 52

Marks: 1 (Budgeted Time 1 Min)

In which one of the following methods, does the CPU poll to identify the interrupting module and branch to an interrupt service routine on detecting an interrupt?

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ Multiple interrupt lines

☐ Software Poll

ans

☐ Daisy Chain

☐ Parallel Priority

Made by: Waqar Siddhu

Question No : 16 of 52

Marks: 1 (Budgeted Time 1 Min)

Maskable Interrupts are applied to the _____ pin of the processor.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ INTR

ans

☐ NMI

☐ IRET

☐ INT

Made by: Waqar Siddhu

Question No : 17 of 52

Marks: 1 (Budgeted Time 1 Min)

Non-maskable Interrupts are detected using the _____ pin of the processor.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ INTR

☐ NMI

ans

☐ IRET

☐ INT

Made by: Waqar Siddhu

Question No : 18 of 52

Marks: 1 (Budgeted Time 1 Min)

In Multiple Interrupt Lines approach, a number of interrupt lines are provided between the _____ modules.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ External and Internal

☐ CPU and I/O

ans

☐ CPU and Memory

☐ Memory and I/O

Made by: Waqar Siddhu

Question No : 19 of 52

Marks: 1 (Budgeted Time 1 Min)

In FALCON-A assembler and simulator (FALSIM), variables are defined by using the _____ directive.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ .bin

☒ .equ

☐ .iret

☐ .end

Made by: Waqar Siddhu

Question No : 20 of 52

Marks: 1 (Budgeted Time 1 Min)

_____ allows a peripheral device to read from and/or write to memory without intervention by the CPU.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ Programmed I/O

☐ Interrupt driven I/O

☐ Direct memory access

ans

☐ Polling

Made by: Waqar Siddhu

Question No : 21 of 52

Marks: 1 (Budgeted Time 1 Min)

Taking control of the system bus for a few bus cycles is known as _____.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ Bus Scheduling

☐ Cycle Stealing

ans

☐ Cycle Transferring

☐ CPU Scheduling

Made by: Waqar Siddhu

Question No : 22 of 52

Marks: 1 (Budgeted Time 1 Min)

A component connected to the system bus and having control of it during a particular bus cycle is called _____.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ Address decoder

☐ BIOS

☐ Master component

ans

☐ Slave component

Made by: Waqar Siddhu

Question No : 23 of 52

Marks: 1 (Budgeted Time 1 Min)

When it is required to read data from a particular location of the disk, the head moves towards the selected track and this process is called _____.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ Fragmentation

☐ Defragmentation

☐ Seek

ans

☐ Encoding

Made by: Waqar Siddhu

Question No : 24 of 52

Marks: 1 (Budgeted Time 1 Min)

CRC has _____ overhead as compared to Hamming code.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ Equal☐ Greater☐ Lesser

ans

☐ Absolutely no

Made by: Waqar Siddhu

Question No : 25 of 52

Marks: 1 (Budgeted Time 1 Min)

The conversion of numbers from a representation in one base to another is known as _____

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ Radix Conversion

ans

☐ Number Representation☐ Decimal Representation☐ Hexadecimal Representation

Made by: Waqar Siddhu

Question No : 26 of 52

Marks: 1 (Budgeted Time 1 Min)

In _____, bits are encoded in pairs so there are only ' $n/2$ ' additions instead of ' n '.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ Booth Recoding☐ Bit-Pair Recoding

ans

☐ Fraction Division☐ Integer Division

Made by: Waqar Siddhu

Question No : 27 of 52

Marks: 1 (Budgeted Time 1 Min)

_____ are computed by the ALU and stored in processor status register.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ Condition Codes

ans

☐ Control Signals

☐ Flip Flops

☐ Multiplexers

Made by: Waqar Siddhu

Question No : 28 of 52

Marks: 1 (Budgeted Time 1 Min)

In computers, floating-point representation uses _____ to encode significand, exponent and their sign in a single word.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ Decimal Numbers

☐ Binary Numbers

ans

☐ Octal Numbers

☐ Hexadecimal Numbers

Made by: Waqar Siddhu

Question No : 29 of 52

Marks: 1 (Budgeted Time 1 Min)

In floating point representations _____ is also called mantissa.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ Sign

☐ Base

☐ Significand

ans p 347

☐ Exponent

Made by: Waqar Siddhu

Question No : 30 of 52

Marks: 1 (Budgeted Time 1 Min)

In Single-Precision Binary Floating Point Representation the size of exponent is _____.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ 8-bits

ans

☐ 11-bits

☐ 1-bits

☐ 23-bits

Made by: Waqar Siddhu

Question No : 31 of 52

Marks: 1 (Budgeted Time 1 Min)

_____ is nonvolatile i.e. it retains the information in it when power is removed from it.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ RAM

☐ DRAM

☐ ROM

ans

☐ SRAM

Made by: Waqar Siddhu

Question No : 32 of 52

Marks: 1 (Budgeted Time 1 Min)

Based on the statistical results, the cache block which has been least used in the recent past, is replaced with a new block. This technique is called _____.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ Always Replacement

☐ Random Replacement

☐ LFU (Least Frequently Used)

ans

☐ Write Allocate

Made by: Waqar Siddhu

Question No : 33 of 52

Marks: 1 (Budgeted Time 1 Min)

_____ acts as a cache between main memory and secondary memory.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ Read Only Memory

☐ Flash Memory

☐ Virtual Memory

ans

☐ Magnetic Tape

Made by: Waqar Siddhu

Question No : 34 of 52

Marks: 1 (Budgeted Time 1 Min)

Randomly replacing any older page to bring in the desired page is known as _____.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ Always Replacement

☐ LFU (Least Frequently Used)

☐ Random Replacement

ans

☐ Fragmentation

Made by: Waqar Siddhu

Question No : 35 of 52

Marks: 1 (Budgeted Time 1 Min)

_____ are formed by concatenating the page number with the word number.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ Memory chips

☐ Protocols

☐ Hazards

☐ Virtual addresses

ans

Made by: Waqar Siddhu

Question No : 36 of 52

Marks: 1 (Budgeted Time 1 Min)

In _____ technique memory is divided into segments of variable sizes depending upon the requirements.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ Multiplexing

☐ Segmentation

ans

☐ Hamming code

☐ Partial decoding

Made by: Waqar Siddhu

Question No : 37 of 52

Marks: 1 (Budgeted Time 1 Min)

_____ depends upon the average number of calls and the service time taken by a particular server.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ Throughput

ans

☐ Latency

☐ Poisson Distribution

☐ Response Time

Made by: Waqar Siddhu

Question No : 38 of 52

Marks: 1 (Budgeted Time 1 Min)

_____ is also called traffic intensity and its value must be between 0 and 1.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐ Little's Law

☐ Poisson Distribution

☐ Server Utilization

ans

☐ SPEC

Made by: Waqar Siddhu

Question No : 39 of 52

Marks: 1 (Budgeted Time 1 Min)

The time for the message to pass through the network, except the time of flight is called _____.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐

Transmission Time

ans

☐

Latency

☐

Transport Latency

☐

Bandwidth

Made by: Waqar Siddhu

Question No : 40 of 52

Marks: 1 (Budgeted Time 1 Min)

A set of rules followed by different components in a network is called _____.

Answer (Please select your correct option)

WWW.VirtualAcademyLive.com

☐

Host

☐

Connectivity

☐

Resource Sharing

☐

Protocol

ans

Made by: Waqar Siddhu