



In the Name of Allāh, the Most Gracious, the Most Merciful

### Paper Pattern

MCQS 40 each 1 mark  
Short 4 each 2 marks  
Short 4 each 3 marks  
long 4 each 5 marks

Question No : 1 of 52

Marks: 1 (Budgeted Time 1 Min)

1 KB or 1 kilobyte is equivalent to -----

Answer ( Please select your correct option )

[WWW.VirtualAcademyLive.com](http://WWW.VirtualAcademyLive.com)

- ☐ 10 bytes
- ☐ 1000 bytes
- ☐ 1024 bytes
- ☐ 10000 bytes

[VuAnswers.com](http://VuAnswers.com)

Made By Waqar Siddhu

Question No : 2 of 52

Marks: 1 (Budgeted Time 1 Min)

A -----system collects physically separate, possibly heterogeneous, systems into a single coherent system, providing the user with access to the various resources that the system maintains

A distributed system collects physically separate, possibly heterogeneous, systems into a single coherent system, providing the user with access to the various resources that the system maintains.

Answer ( Please select your correct option )

[WWW.VirtualAcademyLive.com](http://WWW.VirtualAcademyLive.com)

- ☐ Distributed
- ☐ Real-time
- ☐ Single user
- ☐ Time-sharing

[VuAnswers.com](http://VuAnswers.com)

page 13

Made By Waqar Siddhu



Question No : 3 of 52

Marks: 1 (Budgeted Time 1 Min)

Preemptive -----scheduling is sometimes called **shortest-remaining-time-first** scheduling.

Preemptive SJF scheduling is sometimes called shortestremaining-time-first scheduling.

page 83

Answer ( Please select your correct option )

WWW.VirtualAcademyLive.com

☐ First-Come-First-Served (FCFS)

VuAnswers.com

☐ Round-Robin

☐ Sorted Job First (SJF)

correct

☐ Priority

Made By Waqar Siddhu

Question No : 6 of 52

Marks: 1 (Budgeted Time 1 Min)

In ----- technique, memory is divided into several fixed-size partitions.

Multiprogramming with Fixed Tasks (MFT)

In this technique, memory is divided into several fixed-size partitions.

page 160

Answer ( Please select your correct option )

WWW.VirtualAcademyLive.com

☐ Swapping

VuAnswers.com

☐ Overlays

☐ Multiprogramming with Fixed Tasks (MFT)

correct

☐ Multiprogramming with Variable Tasks (MVT)

Made By Waqar Siddhu

Question No : 7 of 52

Marks: 1 (Budgeted Time 1 Min)

Every -----generated by the CPU is divided into two parts: a page number (p) and a page offset (d).

Every logical address generated by the CPU is divided into two parts: a page number (p) and a page offset (d).

page 164

Answer ( Please select your correct option )

WWW.VirtualAcademyLive.com

☐ Page

VuAnswers.com

☐ Process address space

☐ Physical address

☐ Logical address

correct

Made By Waqar Siddhu



Question No : 8 of 52

Marks: 1 (Budgeted Time 1 Min)

If validation bit is 0, it indicates a/an ----- state of segment.

Validation bit : if the validation bit is 0, it indicates an illegal segment

page 178

Answer ( Please select your correct option )

WWW.VirtualAcademyLive.com

☐ protected

VuAnswers.com

☐ shared

☐ legal

☐ illegal

correct

Made By Waqar Siddhu

Question No : 9 of 52

Marks: 1 (Budgeted Time 1 Min)

\_\_\_\_\_ is based on the locality of reference concept— the least frequently used page is not in the current locality

This algorithm is based on the locality of reference concept— the least frequently used page is not in the current locality. LFU

page 204

Answer ( Please select your correct option )

WWW.VirtualAcademyLive.com

☐ Least Frequently Used algorithm

VuAnswers.com

☐ Page Buffering Algorithm

☐ None of the given options

☐ Most Frequently Used algorithm

Made By Waqar Siddhu

Question No : 10 of 52

Marks: 1 (Budgeted Time 1 Min)

In \_\_\_\_\_ allocation scheme number of frames allocated to a process is proportional to its size .

Proportional Allocation

Number of frames allocated to a process is proportional to its size in this scheme.

page 205

Answer ( Please select your correct option )

WWW.VirtualAcademyLive.com

☐ None of the given options

VuAnswers.com

☐ Fixed Allocation

☐ Proportional Allocation

correct

☐ Priority Allocation

Made By Waqar Siddhu



Question No : 11 of 52

Marks: 1 (Budgeted Time 1 Min)

In case of thrashing if CPU utilization is too low the operating system \_\_\_\_\_ the degree of multiprogramming

if CPU utilization is too low, the operating system increases the degree of multiprogramming by introducing one or more new processes to the system.

page 208

Answer ( Please select your correct option )

WWW.VirtualAcademyLive.com

- ☐ Increases
- ☐ Decreases
- ☐ Increases or Decreases
- ☐ None of the given options

VuAnswers.com<sup>rect</sup>

Made By Waqar Siddhu

Question No : 12 of 52

Marks: 1 (Budgeted Time 1 Min)

\_\_\_\_\_ enable processes to communicate with each other

FIFO enable processes to communicate with each other.

page 218

Answer ( Please select your correct option )

WWW.VirtualAcademyLive.com

- ☐ Directory
- ☐ FIFO
- ☐ Link File
- ☐ Ordinary File

VuAnswers.com

correct

Made By Waqar Siddhu

Question No : 13 of 52

Marks: 1 (Budgeted Time 1 Min)

When a \_\_\_\_\_ link is created, a directory entry for the existing file is created

When a hard link is created, a directory entry for the existing file is created—there is still only one file.

page 225

Answer ( Please select your correct option )

WWW.VirtualAcademyLive.com

- ☐ Soft
- ☐ Hard
- ☐ Soft or Hard
- ☐ Soft or Hard

VuAnswers.com

correct

Made By Waqar Siddhu



Question No : 14 of 52

Marks: 1 (Budgeted Time 1 Min)

In \_\_\_\_\_, each file is a linked list of disk blocks: blocks may be scattered anywhere on the disk.

Linked Allocation

Each file is a linked list of disk blocks: blocks may be scattered anywhere on the disk.

page 235

Answer ( Please select your correct option )

WWW.VirtualAcademyLive.com

☐ Indexed Allocation

VuAnswers.com

☐ Contiguous Allocation

☐ Linked Allocation

correct

☐ None of the given options

Made By Waqar Siddhu

Question No : 15 of 52

Marks: 1 (Budgeted Time 1 Min)

Shared libraries and kernel modules are stored in \_\_\_\_\_ directory

/lib Shared libraries and kernel modules are stored in this directory

page 23

Answer ( Please select your correct option )

WWW.VirtualAcademyLive.com

☐ /bin

VuAnswers.com

☐ /dev

☐ /boot

☐ /lib

correct

Made By Waqar Siddhu

Question No : 16 of 52

Marks: 1 (Budgeted Time 1 Min)

The problem of Deadlocks can be solved by \_\_\_\_\_ method(s).

Answer ( Please select your correct option )

WWW.VirtualAcademyLive.com

☐ Deadlock prevention

VuAnswers.com

☐ Deadlock avoidance

☐ Allowing deadlock and recovery

☐ All of the given

correct

Made By Waqar Siddhu



Question No : 17 of 52

Marks: 1 (Budgeted Time 1 Min)

In \_\_\_\_\_ page replacement algorithm oldest frame is replaced with another.

page 119

Answer ( Please select your correct option )

WWW.VirtualAcademyLive.com

VuAnswers.com

☐ LIFO☐ FIFO

correct

☐ LRU☐ Optimal

Made By Waqar Siddhu

Question No : 18 of 52

Marks: 1 (Budgeted Time 1 Min)

In Resource Allocation Graph, a \_\_\_\_\_  $P_i \rightarrow R_j$  indicates that process  $P_i$  may request resource  $R_j$  at some time in the future.

Resource Allocation Graph Algorithm

In addition to the request and assignment edges explained in the previous lectures, we introduce a new type of edge called a claim edge to resource allocation graphs. A claim edge  $P_i \rightarrow R_j$  indicates that process  $P_i$  may request resource  $R_j$  at some time in the future.

page 136

Answer ( Please select your correct option )

WWW.VirtualAcademyLive.com

VuAnswers.com

☐ Claim edge☐ Request edge☐ Assignment edge☐ Allocation edge

Made by: Waqar Siddhu

Question No : 19 of 52

Marks: 1 (Budgeted Time 1 Min)

Assume a logical address space of 16 pages of 1024 words, each mapped into a physical memory of 32 frames. Each word consists of 2 bytes. What will be the total number of bits required for  $p$  (page number)?

Assume a logical address space of 16 pages of 1024 words, each mapped into a physical memory of 32 frames. No. of bits needed for  $p$  = ceiling  $\lceil \log_2 16 \rceil$  bits = 4 bits

page 166

Answer ( Please select your correct option )

WWW.VirtualAcademyLive.com

VuAnswers.com

☐ 4 bits☐ 8 bits☐ 16 bits☐ 32 bits

Made by: Waqar Siddhu



Question No : 20 of 52

Marks: 1 (Budgeted Time 1 Min)

In the Scan algorithm the disk \_\_\_\_\_ starts at one end of the disk, and moves toward the other end, servicing requests as it reaches each cylinder, until it gets to the other end of the disk.

Scan

In the Scan algorithm the disk arm starts at one end of the disk, and moves toward the other end, servicing requests as it reaches each cylinder, until it gets to the other end of the disk.

page 245

Answer ( Please select your correct option )

WWW.VirtualAcademyLive.com

☐ arm

VuAnswers.com

☐ cylinder

☐ head

☐ non of these

Made by: Waqar Siddhu

Question No : 21 of 52

Marks: 1 (Budgeted Time 1 Min)

Segmentation is a memory management scheme that supports \_\_\_\_\_

Segmentation is a memory management scheme that supports programmer's view of memory.

page 176

Answer ( Please select your correct option )

WWW.VirtualAcademyLive.com

☐ Programmer's view of memory

VuAnswers.com

☐ System's view of memory

☐ Hardware's view of memory

☐ None of the given

Made by: Waqar Siddhu

Question No : 22 of 52

Marks: 1 (Budgeted Time 1 Min)

\_\_\_\_\_ is a variation of fork system call in several Unix operating system used for Virtual Memory.

vfork()

Several versions of UNIX provide a variation of the fork() system call—vfork() (for virtual memory fork).

page 194

Answer ( Please select your correct option )

WWW.VirtualAcademyLive.com

☐ vfork ()

VuAnswers.com

☐ wfork ()

☐ avfork ()

☐ bfork ()

Made by: Waqar Siddhu



Question No : 23 of 52

Marks: 1 (Budgeted Time 1 Min)

The bottom layer in the layered approach of Operating System is-----

page 20

Answer ( Please select your correct option )

WWW.VirtualAcademyLive.com

- ☐ User interface
- ☐ Hardware
- ☐ Kernel
- ☐ None of the given options

VuAnswers.com

correct

Made by: Waqar Siddhu

Question No : 24 of 52

Marks: 1 (Budgeted Time 1 Min)

Named pipes give a -----flow of data by default

46 page

Answer ( Please select your correct option )

WWW.VirtualAcademyLive.com

- ☐ half-duplex (one-way)
- ☐ full duplex(both-ways)
- ☐ both half-duplex and full duplex
- ☐ none of the given options

VuAnswers.com

correct

Made by: Waqar Siddhu

Question No : 25 of 52

Marks: 1 (Budgeted Time 1 Min)

In \_\_\_\_\_ frame allocation scheme free frames are equally divided among processes

Fixed allocation  
In this scheme free frames are equally divided among processes

page 205

Answer ( Please select your correct option )

WWW.VirtualAcademyLive.com

- ☐ Fixed
- ☐ Proportional
- ☐ Priority
- ☐ All of the given

VuAnswers.com

correct

Made by: Waqar Siddhu



Question No : 26 of 52

Marks: 1 (Budgeted Time 1 Min)

----- automatically holds for printers and other non-sharables

Answer ( Please select your correct option )

WWW.VirtualAcademyLive.com

☐ Hold and wait

VuAnswers<sup>correct</sup>.com

checking require

☐ Circular wait

☐ Mutual exclusion

☐ No preemption

Made by: Waqar Siddhu

Question No : 27 of 52

Marks: 1 (Budgeted Time 1 Min)

----- is a single program that produces an object file

Answer ( Please select your correct option )

WWW.VirtualAcademyLive.com

☐ Linker

VuAnswers.com

☐ Compiler

correct

☐ Loader

☐ Text editor

Made by: Waqar Siddhu

Question No : 28 of 52

Marks: 1 (Budgeted Time 1 Min)

----- keeps in memory only those instructions and data that are needed at any given time.

The idea of overlays is to keep in memory only those instructions and data that are needed at any given time.

page 157

Answer ( Please select your correct option )

WWW.VirtualAcademyLive.com

☐ Paging

VuAnswers.com

☐ Swapping

☐ Overlays

correct

☐ Fragmentation

Made by: Waqar Siddhu



Question No : 29 of 52

Marks: 1 (Budgeted Time 1 Min)

The address generated by the CPU, after any indexing or other addressing-mode arithmetic, is called a -----address, and the address it gets translated to by the MMU is called a -----address.

page 153

Answer ( Please select your correct option )

WWW.VirtualAcademyLive.com

☐ Virtual, physical

VuAnswers.com

☐ Hexadecimal, Binary.

☐ Valid, invalid

☐ Physical, Virtual

Made by: Waqar Siddhu

Question No : 30 of 52

Marks: 1 (Budgeted Time 1 Min)

----- is/are a memory management scheme that supports programmer's view of memory.

page 176

Answer ( Please select your correct option )

WWW.VirtualAcademyLive.com

☐ Paging

VuAnswers.com

☐ Segmentation

correct

☐ All of the given options

☐ Demand Paging

Made by: Waqar Siddhu

Question No : 31 of 52

Marks: 1 (Budgeted Time 1 Min)

A new process is created by the----- system call

Answer ( Please select your correct option )

WWW.VirtualAcademyLive.com

☐ exit

VuAnswers.com

☐ fork

correct

midterm solve

☐ wait

☐ exec

Made by: Waqar Siddhu



The ----- are used for communication between related or unrelated processes on the same system or unrelated processes on different systems.

BSD Socket: The BSD sockets are used for communication between related or unrelated processes on the same system or unrelated processes on different systems.

page 50

Answer ( Please select your correct option )

WWW.VirtualAcademyLive.com

VuAnswers.com

☐ None of the given☐ SSD socket☐ DSD socket☐ BSD sockets

correct

Made by: Waqar Siddhu

----- wastes CPU cycles and hence a problem in real multiprogramming system.

Busy waiting wastes CPU cycles that some other process may be able to use productively.

page 111

Answer ( Please select your correct option )

WWW.VirtualAcademyLive.com

VuAnswers.com

☐ Busy waiting☐ Semaphore☐ Critical section☐ Mutex

Made by: Waqar Siddhu

High-level synchronization construct that allows the safe sharing of an abstract data type among concurrent processes is called a -----

Answer ( Please select your correct option )

WWW.VirtualAcademyLive.com

VuAnswers.com

☐ Read/Write Lock☐ Swap☐ Semaphore☐ Monitor

Made by: Waqar Siddhu



Question No : 35 of 52

Marks: 1 (Budgeted Time 1 Min)

In ..... system, the user space contains one process at a time because only one process is executing at a given time.

In case of a batch system, the user space contains one process at a time because only one process is executing at a given time.

page 5

Answer ( Please select your correct option )

WWW.VirtualAcademyLive.com

VuAnswers.com

☐ Multi programmed

☐ Batch

correct

☐ Time-sharing system

☐ None of the given

Made by: Waqar Siddhu

Question No : 36 of 52

Marks: 1 (Budgeted Time 1 Min)

Which one of the following is the correct syntax to copy file1 to file2?

page 27

Answer ( Please select your correct option )

WWW.VirtualAcademyLive.com

VuAnswers.com

☐ cp file2, file1

☐ cp file1/file2

correct

☐ cp file2 file1

☐ cp file1 file2

Made by: Waqar Siddhu

Question No : 37 of 52

Marks: 1 (Budgeted Time 1 Min)

\_\_\_\_\_ points to the smallest memory address of a process.

limit registers are used to point to the smallest memory address of a process

159 page

Answer ( Please select your correct option )

WWW.VirtualAcademyLive.com

VuAnswers.com

☐ Limit register

☐ Base register

☐ Stack pointer

☐ None of the given

Made by: Waqar Siddhu



Question No : 38 of 52

Marks: 1 (Budgeted Time 1 Min)

A wait operation on a semaphore should not occur within a critical section controlled by that semaphore because

Answer ( Please select your correct option )

WWW.VirtualAcademyLive.com

VuAnswers.com

- ☐ A deadlock will occur
- ☐ A semaphore is not a shared variable
- ☐ A signal on a semaphore is always given from outside the critical section
- ☐ None of the given

Made by: Waqar Siddhu

Question No : 39 of 52

Marks: 1 (Budgeted Time 1 Min)

\_\_\_\_\_ page replacement algorithm suffers from Belady's anomaly.

Example for the FIFO page replacement algorithm  
The problem with this algorithm is that it suffers from Belady's anomaly:

199

Answer ( Please select your correct option )

WWW.VirtualAcademyLive.com

VuAnswers.com

- ☐ LRU
- ☐ MRU
- ☒ FIFO correct
- ☐ LIFO

Made by: Waqar Siddhu

Question No : 40 of 52

Marks: 1 (Budgeted Time 1 Min)

\_\_\_\_\_ is a high speed cache used to hold recently referenced page table entries a part of paged virtual memory

Answer ( Please select your correct option )

WWW.VirtualAcademyLive.com

VuAnswers.com

- ☐ Translation Look aside buffer
- ☐ Inverse page table
- ☐ Segmented page table
- ☐ All the above

Made by: Waqar Siddhu



Question No : 41 of 52

Marks: 2 (Budgeted Time 4 Min)

What do we name to an address that is generated by the CPU?

Answer ( Please [click here](#) to Add Answer )

WWW.VirtualAcademyLive.com

Normal Arial 12 B I U

VuAnswers.com

Made by: Waqar Siddhu

Question No : 42 of 52

Marks: 2 (Budgeted Time 4 Min)

Which anamoly is involved in FIFO page replacement?

Answer ( Please [click here](#) to Add Answer )

WWW.VirtualAcademyLive.com

Normal Arial 12 B I U

VuAnswers.com

Made by: Waqar Siddhu

Question No : 43 of 52

Marks: 2 (Budgeted Time 4 Min)

The problem with using an acyclic-graph structure is ensuring that there are no cycles. What is the solution?

Answer ( Please [click here](#) to Add Answer )

WWW.VirtualAcademyLive.com

Normal Arial 12 B I U

VuAnswers.com

Made by: Waqar Siddhu



Question No : 44 of 52

Marks: 2 (Budgeted Time 4 Min)

The main purpose of the computer system is to run different programs, why we run these programs?

Answer ( Please [click here](#) to Add Answer )

WWW.VirtualAcademyLive.com

Normal Arial 12 B I U

VuAnswers.com

Made by: Waqar Siddhu

Question No : 45 of 52

Marks: 3 (Budgeted Time 6 Min)

What is the difference between a physical address and a virtual address?

Answer ( Please [click here](#) to Add Answer )

WWW.VirtualAcademyLive.com

Normal Arial 12 B I U

VuAnswers.com

Made by: Waqar Siddhu

Question No : 46 of 52

Marks: 3 (Budgeted Time 6 Min)

What is Mounting? Name two types of mounting. Give your answer with respect to File System?

Answer ( Please [click here](#) to Add Answer )

WWW.VirtualAcademyLive.com

Normal Arial 12 B I U

VuAnswers.com

Made by: Waqar Siddhu



Question No : 47 of 52

Marks: 3 (Budgeted Time 6 Min)

How vfork system call differs from fork system call?

Answer ( Please [click here](#) to Add Answer )

WWW.VirtualAcademyLive.com

Normal Arial 12 B I U

VuAnswers.com

Made by: Waqar Siddhu

Question No : 48 of 52

Marks: 3 (Budgeted Time 6 Min)

Consider this algorithm for mutual exclusion.

Process 1{ while true { while (turn == 1) ; /* do nothing */	Process 2 { while true { while (turn == 2) ; /* do nothing */
---	--

Answer ( Please [click here](#) to Add Answer )

WWW.VirtualAcademyLive.com

Normal Arial 12 B I U

VuAnswers.com

Made by: Waqar Siddhu

Question No : 49 of 52

Marks: 5 (Budgeted Time 10 Min)

Briefly explain that how a Page Fault occurs and who is responsible to handle Page Fault?

Answer ( Please [click here](#) to Add Answer )

WWW.VirtualAcademyLive.com

Normal Arial 12 B I U

VuAnswers.com

Made by: Waqar Siddhu



Question No : 50 of 52

Marks: 5 (Budgeted Time 10 Min)

In case of file protection, what should the file owner/creator be able to control? And what operations need to be controlled?

Answer ( Please [click here](#) to Add Answer )

WWW.VirtualAcademyLive.com

Normal Arial 12 B I U

VuAnswers.com

Made by: Waqar Siddhu

Question No : 51 of 52

Marks: 5 (Budgeted Time 10 Min)

Analyze that how an operating system protects the CPU.

Answer ( Please [click here](#) to Add Answer )

WWW.VirtualAcademyLive.com

Normal Arial 12 B I U

VuAnswers.com

Made by: Waqar Siddhu

Question No : 52 of 52

Marks: 5 (Budgeted Time 10 Min)

Let us consider a page size of 16 bytes and process address space of 32 pages and physical address space of 64 frames. Calculate the following

- Size of logical address i.e. Number of bits needed to uniquely identify a page in this address space of 16 pages.
- Logical address in bits for (18, 10). Where 'p' and 'd' are 18 and 10 respectively.

Answer ( Please [click here](#) to Add Answer )

WWW.VirtualAcademyLive.com

Normal Arial 12 B I U

VuAnswers.com

Made by: Waqar Siddhu